





::::::::: UNIVERSAL SONSUZ VİDALI REDÜKTÖRLER ::::::::::




NMRV (n1=1400d/d) SECİM TABLOSU

Tip	i	n2	kW1	M2	sf	PAM	
NMRV 025	5	280	0,09	2	4,1	56	
	7,5	186,6	0,09	4	2,8	56	
	10	140	0,09	5	2,3	56	
	15	93,3	0,09	7	1,6	56	
	20	70	0,09	9	1,3	56	
	30	46,6	0,09	12	1,0	56	
	40	35	0,09	15	0,8	56	
	50	28	0,06	12	0,9	56	
	60	23,3	0,06	14	0,8	56	
Tip	i	n2	kW1	M2	sf	PAM	
NMRV 030	5	280	0,18	6	2,7	63	
	7,5	186,6	0,18	10	1,8	63	
	10	140	0,18	12	1,4	63	
	15	93,3	0,18	17	1,0	63	
	20	70	0,18	22	0,8	63	
	25	56	0,18	21	1,0	63	
	30	46,6	0,18	24	0,8	63	
	40	35	0,12	19	0,9	63	
	50	28	0,12	23	0,8	63	
NMRV 030	60	23,3	0,09	19	0,8	56	
	80	17,5	0,06	14	0,9	56	
Tip	i	n2	kW1	M2	sf	PAM	
NMRV 040	5	280	0,37	16	2,0	71	
	7,5	186,6	0,37	24	1,6	71	
	10	140	0,37	32	1,2	71	
	15	93,3	0,37	46	0,8	71	
	20	70	0,37	39	0,9	71	
	25	56	0,37	47	0,8	71	
	30	46,6	0,37	53	0,8	71	
	40	35	0,25	44	0,9	71	
	50	28	0,18	47	0,8	63	
NMRV 040	60	23,3	0,18	43	0,8	63	
	80	17,5	0,12	34	0,9	63	
	100	14	0,12	38	0,8	63	
Tip	i	n2	kW1	M2	sf	PAM	
NMRV 050	5	280	0,75	27	2,2	80	
	7,5	186,6	0,75	41	1,7	80	
	10	140	0,75	54	1,7	80	
	15	93,3	0,75	77	0,9	80	
	20	70	0,75	81	0,9	80	
	25	56	0,55	71	1,0	80	
	30	46,6	0,55	81	1,0	80	
	40	35	0,37	101	1,0	71	
	50	28	0,37	80	0,9	71	
NMRV 050	60	23,3	0,37	89	0,8	71	
	80	17,5	0,25	72	0,8	71	
	100	14	0,18	60	0,9	63	
Tip	i	n2	kW1	M2	sf	PAM	
NMRV 063	7,5	186,6	1,5	83	1,5	90	
	10	140	1,5	109	1,1	90	
	15	93,3	1,5	156	0,8	90	
	20	70	1,5	166	0,8	90	
	25	56	1,1	146	0,8	90	
	30	46,6	1,1	167	0,9	90	
	40	35	0,75	176	0,8	80	
	50	28	0,55	124	1,0	80	
	60	23,3	0,55	140	0,9	80	
NMRV 063	80	17,5	0,37	115	1,0	71	
	100	14	0,37	129	0,9	71	



Tip	i	n2	kW1	M2	sf	PAM	
NMRV 075	7,5	186,6	4	182	1,0	112	
	10	140	3	180	1,0	100	
	15	93,3	3	260	0,8	100	
	20	70	1,5	205	1,0	90	
	25	56	1,5	204	0,9	90	
	30	46,6	1,5	286	0,8	90	
	40	35	1,1	216	1,0	90	
	50	28	0,75	216	0,9	80	
NMRV 075	60	23,3	0,75	245	0,8	80	
	80	17,5	0,55	180	1,0	80	
	100	14	0,55	206	0,8	80	
Tip	i	n2	kW1	M2	sf	PAM	
NMRV 090	7,5	186,6	4	221	1,3	112	
	10	140	4	291	1,0	112	
	15	93,3	4	422	0,8	112	
	20	70	4	458	0,8	112	
	25	56	3	420	0,8	100	
	30	46,6	3	479	0,8	100	
	40	35	1,5	377	0,9	90	
	50	28	1,5	452	0,8	90	
	60	23,3	1,5	424	0,8	90	
NMRV 090	80	17,5	0,75	316	0,9	80	
	100	14	0,75	302	0,8	80	
Tip	i	n2	kW1	M2	sf	PAM	
NMRV 110	7,5	186,6	7,5	345	1,3	132	
	10	140	7,5	455	1,1	132	
	15	93,3	5,5	484	1,1	132	
	20	70	5,5	638	0,8	132	
	25	56	4	688	0,8	112	
	30	46,6	4	647	0,9	112	
	40	35	3	638	0,9	100	
	50	28	3	767	0,8	100	
	60	23,3	2,2	648	0,8	100	
NMRV 110	80	17,5	1,5	548	0,8	90	
	100	14	1,1	473	0,9	90	
Tip	i	n2	kW1	M2	sf	PAM	
NMRV 130	7,5	186,6	7,5	428	1,7	132	
	10	140	7,5	558	1,4	132	
	15	93,3	7,5	819	1,1	132	
	20	70	7,5	1079	0,8	132	
	25	56	7,5	1074	0,8	132	
	30	46,6	5,5	900	1,1	132	
	40	35	5,5	1170	0,8	132	
	50	28	4	1228	0,8	112	
	60	23,3	4	1178	0,8	112	
NMRV 130	80	17,5	2,2	816	1,0	100	
	100	14	2,2	960	0,8	100	
Tip	i	n2	kW1	M2	sf	PAM	
NMRV 150	7,5	186,6	15	698	1,7	160	
	10	140	15	921	1,3	160	
	15	93,3	15	1351	0,9	160	
	20	70	11	1291	1,0	160	
	25	56	7,5	1074	1,1	132	
	30	46,6	7,5	1274	0,9	132	
	40	35	7,5	1596	1,0	132	
	50	28	5,5	1426	1,0	132	
NMRV 150	60	23,3	4	1195	1,1	112	
	80	17,5	3	1113	1,0	100	
	100	14	2,2	960	1,0	100	

	PAMI IEC	N	M	P	5	7,5	10	15	20	25	30	40	50	60	80	100
					D											
NMRV025	56B14	50	65	80	9	9	9	9	9	-	9	9	9	9	-	-
NMRV030	63B5	95	115	140	11	11	11	11	11	11	11	11	11	11	11	11
	63B14	60	75	90												
	56B5	80	100	120												
	56B14	50	65	80												
NMRV040	71B5	110	130	160	14	14	14	14	14	14	14	14	14	14	14	14
	71B14	70	85	105												
	63B5	95	115	140												
	63B14	60	75	90												
	56B5	80	100	120												
NMRV050	80B5	130	165	200	19	19	19	19	19	19	19	19	19	19	19	19
	80B14	80	100	120												
	71B5	110	130	160												
	71B14	70	85	105												
	63B5	95	115	140												
NMRV063	90B5	130	165	200	19	19	19	19	19	19	19	19	19	19	19	19
	90B14	95	115	140												
	80B5	130	165	200												
	80B14	80	100	120												
	71B5	110	130	160												
NMRV075	71B14	70	85	105	14	14	14	14	14	14	14	14	14	14	14	14
	100/112B5	180	215	250												
	100/112B14	110	130	160												
	90B5	130	165	200												
	90B14	95	115	140												
	80B5	130	165	200												
NMRV090	80B14	80	100	120	19	19	19	19	19	19	19	19	19	19	19	19
	71B5	110	130	160												
	100/112B5	180	215	250												
	100/112B14	110	130	160												
	90B5	130	165	200												
	90B14	95	115	140												
NMRV110	80B5	130	165	200	19	19	19	19	19	19	19	19	19	19	19	19
	80B14	80	100	120												
	132B5	230	265	300												
	100/112B5	180	215	250												
NMRV130	90B5	130	165	200	24	24	24	24	24	24	24	24	24	24	24	24
	80B5	130	165	200												
	132B5	230	265	300												
	100/112B5	180	215	250												
NMRV150	90B5	130	165	200	28	28	28	28	28	28	28	28	28	28	28	28
	160B5	250	300	350												
	132B5	230	265	300												
NMRV150	110/112B5	180	215	250	28	28	28	28	28	28	28	28	28	28	28	28
	110/112B5	180	215	250												


MOTOR MONTAJ TABLOSU VE ÖLÇÜLERİ



NMRV 25 ÖLÇÜLER



NMVR 30-150 ÖLÇÜLER




	A	B	C	D(H8)	D1(j6)	E	F	G	G1	G2	H	I	L	M	N(h8)	N1	O	P	Q	R	S	T
030	54	20	80	14	9	97	32	55	63	51	40	30	56	65	55	29	6,5	75	44	57	5,5	21
040	70	23	100	18	11	121,5	43	70	78	60	50	40	71	75	60	36,5	6,5	87	55	71,5	6,5	26
050	80	30	120	25	14	144	49	80	92	74	60	50	85	85	70	43,5	8,5	100	64	84	7	30
063	100	40	144	25	19	174	67	95	112	90	72	63	103	95	80	53	8,5	110	80	102	8	36
075	120	50	172	28	24	205	72	112,5	120	105	86	75	112	115	95	57	11	140	93	119	10	40
090	140	50	206	35	24	238	74	129,5	140	125	103	90	130	130	110	67	13	160	102	135	11	45
110	170	60	252,5	42	28	295	-	160	155	142	127,5	110	144	165	130	74	14	200	125	167,5	14	50
130	200	80	292,5	45	30	335	-	180	170	162	147,5	130	155	215	180	81	16	250	140	187,5	15	60
150	240	80	340	50	35	400	-	210	200	195	170	150	185	215	180	96	18	250	180	230	18	72,5

	V	K	KA	KB	KC	KE	α	α1	KM	KN(H8)	KO	KP	KQ	b	b1	f	t	t1	kg.
030	27	44	54,5	6	4	M6x11 n.4	0°	45°	68	50	6,5 n.4	80	70	5	3	-	16,3	10,2	1,2
040	35	60	67	7	4	M6x8 n.4	45°	45°	87	60	9 n.4	110	95	6	4	-	20,8	12,5	2,3
050	40	70	90	9	5	M8x10 n.4	45°	45°	90	70	11 n.4	125	110	8	5	M6	28,3	16,0	3,5
063	50	85	82	10	6	M8x14 n.8	45°	45°	150	115	11 n.4	180	142	8	6	M6	28,3	21,5	6,2
075	60	90	111	13	6	M8x14 n.8	45°	45°	165	130	14 n.4	200	170	8	8	M8	31,3	27,0	9
090	70	100	111	13	6	M10x18 n.8	45°	45°	175	152	14 n.4	210	200	10	8	M8	38,3	27,0	13
110	85	115	131	15	6	M10x18 n.8	45°	45°	230	170	14 n.8	280	260	12	8	M10	45,3	31,0	35
130	100	120	140	15	7	M12x21 n.8	45°	22,5°	255	180	16 n.8	320	290	14	8	M10	48,8	33,0	48
150	120	145	155	15	7	M12x8 n.8	45°	22,5°	255	180	16 n.8	320	290	14	10	M12	53,8	38	84


TEK VE ÇİFT TARAFLI ÇIKIŞ MİLLERİ

	d(h6)	B	B1	G1	L	L1	f	b1	t1
025	11 (9)	23 (25)	25,5 (30)	50	81 (85,5)	101 -	- -	4 (3)	12,5 (10,2)
030	14	30	32,5	63	102	128	M6	5	16
040	18	40	43	78	128	164	M6	6	20,5
050	25	50	53,5	92	153	199	M10	8	28
063	25	50	53,5	112	173	219	M10	8	28
075	28	60	63,5	120	192	247	M10	8	31
090	35	80	84,5	140	234	309	M12	10	38
110	42	80	84,5	155	249	324	M16	12	45
130	45	80	85	170	265	340	M16	14	48,5
150	50	82	87	200	297	374	M16	14	53,5




NİHAİYETSİZ MİL UZANTILARI



	G2	d(j6)	B	f	b1	t1
030	45	9	20	-	3	10,2
040	53	11	23	-	4	12,5
050	64	14	30	M6	5	16
063	75	19	40	M6	6	21,5
075	90	24	50	M8	8	27
090	108	24	50	M8	8	27
110	135	28	60	M10	8	31
130	155	30	80	M10	8	33
150	195	35	80	M12	10	38



BAĞLANTI PARÇASI

	K1	G	KG	KH	R
025	70	14	17,5	8	15
030	85	14	24	8	15
040	100	14	31,5	10	18
050	100	14	38,5	10	18
063	150	14	49	10	18
075	200	25	47,5	20	30
090	200	25	57,5	20	30
110	250	30	62	25	35
130	250	30	69	25	35
150	250	30	84	25	35





YEDEK PARÇALAR

NMRV 030 / 150

